

产品分析证书 Certificate of Analysis

中文名称: 细叶远志苷 A

English Name: Tenuifolioside A

别名 (Alias):

产品编码 (Cat. No.): BP1375


CAS Number: 139726-35-5

分子式 (M. F.): C₃₁H₃₈O₁₇

分子量 (M. W.): 682.628

批号 (Batch No.): PRF8052524

报告日期 (Report date): 2017-05-26



检验结果 (Analytical result):

检验项目 (Test Item)	检验指标 (Specifications)	检验结果 (Results)
外观 Appearance	Off-white powder	Off-white powder
干燥失重 Loss on drying	<3.0%	2.1%
纯度 Purity (HPLC-DAD, 310nm)*	≥90.0%	91.17%
质谱 Mass	682.6±1	Conforms
核磁 NMR	Comply with the structure	Conforms

* 色谱图见附件 (Please find HPLC chromatography attached.)

检测方法 (Test Method): Column: Thermo HYPURITY C18, 4.6*150mm, 3.0um; Column temperature: 30°C; Detection Mode: UV310nm;

Flow Rate: 1.0ml/min; Sample dissolution: Methanol; Mobile Phase: A, 0.1% phosphoric acid in water B, Acetonitrile; Gradient elution: B, 10%-20%, 15min.

贮存条件 (Storage): 2~8°C, protected from light, keep package airproofed when not in use.

复测期 (Retest date): two years (2019-05-25) under conditions list above.

QC: Zhang Ling

Date: 2017-05-26

QA: Wu Qi

Date: 2017-05-26

备注 (Remarks): The sample solutions should be prepared and used on the same day. It is the best preparing the solutions immediately before use. If the solutions have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20°C. Generally, these might be useable for up to two weeks.

In case of quality issue, please contact us within 15 days after receipt of the product.




Tel: +86-28-82633397 Fax: +86-28-82633165

http://www.phytopurify.com Email: sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	Tenuifolside A PRF8052524	Acquired By:	System
Sample Type:	Unknown	Sample Set Name:	
Vial:	3	Acq. Method Set:	Tenuifolside A
Injection #:	1	Processing Method:	Samples
Injection Volume:	10.00 ul	Channel Name:	310.0nm
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	PDA 310.0 nm
Date Acquired:	2017-5-26 9:05:11 CST		
Date Processed:	2017-5-26 9:33:43 CST		

Auto-Scaled Chromatogram



Peak Results

	Name	RT	Area	% Area	USP Plate Count	USP Resolution
1		10.253	96260	0.55	29082.8	
2		11.086	71165	0.41	12176.1	2.7
3		11.903	39191	0.23	23109.5	2.5
4		12.942	502537	2.89	41482.4	3.9
5		13.421	811729	4.68	29774.8	1.9
6		13.715	15829539	91.17	41798.7	1.1
7		14.751	12444	0.07	84498.4	4.2