

产品分析证书
Certificate of Analysis

中文名称: 二氢麻醉椒苦素

English Name: Dihydromethysticin

别名 (Alias): ψ -Methysticin; Pseudomethysticin

产品编码 (Cat. No.): BP0497


CAS Number: 19902-91-1

分子式 (M. F.): C₁₅H₁₆O₅

分子量 (M. W.): 276.288

批号 (Batch No.): PRF8051841

报告日期 (Report date): 2017-05-18



检验结果 (Analytical result):

检验项目 (Test Item)	检验指标 (Specifications)	检验结果 (Results)
外观 Appearance	Off-white needle-like crystal	Off-white needle-like crystal
干燥失重 Loss on drying	<3.0%	1.1%
纯度 Purity (HPLC-DAD, 235nm)*	≥95.0%	96.65%
质谱 Mass	276.2±1	Conforms
核磁 NMR	Comply with the structure	Conforms

* 色谱图见附件 (Please find HPLC chromatography attached.)

检测方法 (Test Method): Column: Thermo Hypersil GOLD AQ C18, 4.6*250mm, 5.0um; Column temperature: 30°C; Detection Mode: UV235nm; Flow

Rate: 1.0ml/min; Sample dissolution: Methanol; Mobile Phase: A, 0.1% Phosphoric acid in water B, Acetonitrile; Gradient elution: B, 30%-40% 0min-15min, 40%-40% 15min-25min.

贮存条件 (Storage): 2~8°C, protected from light, keep package airtight when not in use.

复测期 (Retest date): two years (2019-05-17) under conditions list above.

QC: Zhang Ling

Date: 2017-05-18

QA: Wu Qi

Date: 2017-05-18

备注 (Remarks): The sample solutions should be prepared and used on the day of receipt. It is the best preparing the solutions immediately before use. If the solutions have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20°C. Generally, these might be useable for up to two weeks.
In case of quality issue, please contact us within 15 days after receipt of the product.


Tel: +86-28-82633397 Fax: +86-28-82633165

http://www.phytopurify.com Email: sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	Dihydromethysticin PRF8051841	Acquired By:	System
Sample Type:	Standard	Sample Set Name:	
Vial:	74	Acq. Method Set:	Dihydromethysticin
Injection #:	1	Processing Method:	Samples
Injection Volume:	10.00 ul	Channel Name:	235.0nm
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	PDA 235.0 nm
Date Acquired:	2017-5-18 12:55:13 CST		
Date Processed:	2017-5-18 13:21:41 CST		

Auto-Scaled Chromatogram



Peak Results

	RT	Area	% Area	USP Plate Count	USP Resolution
1	14.829	11393503	96.65	37522.62	
2	15.647	348132	2.95	39735.38	2.59
3	16.102	46753	0.40	42122.33	1.42