

产品分析证书
Certificate of Analysis

中文名称: 知母皂苷 A3

English Name: Timosaponin A3

别名 (Alias): Filiferin B; Anemarsaponin A3; Xilingsaponin A

产品编码 (Cat. No.): BP1395


CAS Number: 41059-79-4

分子式 (M. F.): C₃₉H₆₄O₁₃

分子量 (M. W.): 740.928

批号 (Batch No.): PRF8060241

报告日期 (Report date): 2017-06-02



检验结果 (Analytical result):

检验项目 (Test Item)	检验指标 (Specifications)	检验结果 (Results)
外观 Appearance	Off-white solid	Off-white solid
干燥失重 Loss on drying	<3.0%	0.8%
纯度 Purity (HPLC-ELSD)*	≥98.0%	98.11%
质谱 Mass	740.9±1	Conforms
核磁 NMR	Comply with the structure	Conforms

* 色谱图见附件 (Please find HPLC chromatography attached.)

检测方法 (Test Method): Column: Thermo BDS Hypersil C18, 4.6*100mm, 2.4μm; Column temperature: 30°C; Detection Mode: ELSD; Flow

Rate: 0.8ml/min; Sample dissolution: Methanol; Mobile Phase: A, 0.1% formic acid in water B, Acetonitrile; Gradient elution: B, 40%-50%, 15min.

贮存条件 (Storage): 2-8°C, protected from light, keep package airproofed when not in use.

复测期 (Retest date): two years (2019-06-01) under conditions list above.

QC: Zhang Ling

Date: 2017-06-02

QA: Wu Qi

Date: 2017-06-02

备注 (Remarks): The sample solutions should be prepared and used on the day of receipt. It is the best preparing the solutions immediately before use. If the solutions have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20°C. Generally, these might be useable for up to two weeks.

In case of quality issue, please contact us within 15 days after receipt of the product.


Tel: +86-28-82633397 Fax: +86-28-82633165

http://www.phytopurify.com Email: sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	Timosaponin A III PRF8060241	Acquired By:	System
Sample Type:	Unknown	Sample Set Name:	
Vial:	65	Acq. Method Set:	Timosaponin A III
Injection #:	1	Processing Method:	Samples
Injection Volume:	10.00 ul	Channel Name:	SATIN-2
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	
Date Acquired:	2017-6-2 11:42:50 CST		
Date Processed:	2017-6-2 13:09:53 CST		

Auto-Scaled Chromatogram



Peak Results

	Name	RT	Area	% Area	USP Plate Count	USP Resolution
1		1.550	130385	0.67	472.0	
2		13.727	19193139	98.11	18170.4	34.3
3		14.155	240101	1.23	30484.8	1.1