

产品分析证书
Certificate of Analysis

中文名称：橙桑黄酮

English Name：Pomiferin

别名(Alias):

产品编码(Cat. No.):BP1845


CAS Number: 572-03-2

分子式(M. F.): C₂₅H₂₄O₆

分子量(M. W.): 420.461

批号(Batch No.): PRF8101843

报告日期(Report date): 2017-10-18



检验结果 (Analytical result) :

检验项目 (Test Item)	检验指标 (Specifications)	检验结果 (Results)
外观Appearance	Golden yellow powder	Golden yellow powder
干燥失重Loss on drying	< 3.0%	1.7%
纯度Purity (HPLC-DAD,270nm)*	≥97.0%	97.36%
质谱Mass	420.4±1	Conforms
核磁NMR	Comply with the structure	Conforms

* 色谱图见附件 (Please find HPLC chromatography attached.)

检测方法 (Test Method) : Column:Agilent 5TC-C18 , 4.6*250mm , 5.0um; Column temperature: 30°C; Detection Mode: UV270nm;Flow

Rate: 1.0ml/min; Sample dissolution: Methanol; Mobile Phase: A, 0.1% Phosphoric acid in water B, Acetonitrile ; Gradient elution: B, 65%-85%,15min.

贮存条件 (Storage) :2~8°C, protected from light, keep package airproofed when not in use.

复测期 (Retest date) :two years (2019-10-17) under conditions list above.

QC: Zhang Ling

Date: 2017-10-18

QA: Wu Qi

Date: 2017-10-18

备注(Remarks): The sample solutions should be prepared on the same day, it is the best preparing the solutions immediately before use. If the solutions have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20°C. Generally, these might be useable for up to two weeks.

In case of quality issue, please contact us within 15 days after receipt of the product.


Tel: +86-28-82633397 Fax: +86-28-82633165

http://www.phytopurify.com Email: sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	Pomiferin	Acquired By:	System
Sample Type:	Unknown	Sample Set Name:	
Vial:	12	Acq. Method Set:	Pomiferin
Injection #:	1	Processing Method:	Samples
Injection Volume:	10.00 ul	Channel Name:	270.0nm
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	PDA 270.0 nm
Date Acquired:	2017-10-18 16:37:07 CST		
Date Processed:	2017-10-19 10:26:32 CST		

Auto-Scaled Chromatogram



Peak Results

	RT	Area	% Area	USP Plate Count	USP Resolution
1	9.218	17551	0.12	30521.51	
2	11.773	35744	0.25	36885.62	10.91
3	12.156	19356	0.13	30110.51	1.42
4	12.815	51423	0.36	36525.82	2.30
5	13.076	47873	0.33	30216.06	0.86
6	13.514	35318	0.25	23232.50	1.25
7	14.124	13964421	97.36	44150.93	1.87
8	14.412	48433	0.34		
9	14.742	45481	0.32		
10	15.093	23047	0.16		
11	15.610	16111	0.11	59503.32	

Peak Results

	RT	Area	% Area	USP Plate Count	USP Resolution
12	16.289	11770	0.08		
13	16.683	19449	0.14	6961.53	
14	17.200	6888	0.05	56793.32	

www.biopurify.com