

产品分析证书 Certificate of Analysis

中文名称: 阿基瑞林

English Name: Argireline Acetate

别名 (Alias): N-Acetyl-L-alpha-glutamyl-L-alpha-glutamyl-L-methionyl-L-glutamyl-L-arginyl-L-argininamide

产品编码 (Cat. No.): BPPC003


CAS Number: 616204-22-9

分子式 (M. F.): C₃₄H₆₀N₁₄O₁₂S

分子量 (M. W.): 888.992

批号 (Batch No.): PRF8030725

报告日期 (Report date): 2017年3月7日



检验结果 (Analytical result):

检验项目 (Test Item)	检验指标 (Specifications)	检验结果 (Results)
外观 Appearance	Off-white solid	Off-white solid
干燥失重 Loss on drying	<3.0%	0.65%
纯度 Purity (HPLC-DAD, 215nm)*	≥98.0%	99.77%
质谱 Mass	888.992±1	Conforms
核磁 NMR	Comply with the structure	Conforms

* 色谱图见附件 (Please find HPLC chromatography attached.)

检测方法 (Test Method): Column: Thermo Hypersil GOLD AQ C18, 4.6*250mm, 5.0um; Column temperature: 30°C; Detection Mode: UV215nm; Flow

Rate: 1.0ml/min; Sample dissolution: Methanol; Mobile Phase: A Triethylamine-Phosphate in Water (PH=2) B, Acetonitrile Gradient elution: B, 4%, 20min.

贮存条件 (Storage): -2~-8°C, protected from light, keep package airproofed when not in use.

复测期 (Retest date): two years (2019-03-06) under conditions list above.

QC: Zhang Ling

Date: 2017年3月7日

QA: Wu Qi

Date: 2017年3月7日

备注 (Remarks): The sample solutions should be prepared and used on the day of receipt. It is the best preparing the solutions immediately before use. If the solutions have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20°C. Generally, these might be useable for up to two weeks.

In case of quality issue, please contact us within 15 days after receipt of the product.


Tel: +86-28-82633397 Fax: +86-28-82633165

http://www.phytopurify.com Email: sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	Argireline Acetate PRF8030725	Acquired By:	System
Sample Type:	Standard	Sample Set Name:	
Vial:	50	Acq. Method Set:	Argireline Acetate
Injection #:	1	Processing Method:	Samples
Injection Volume:	15.00 ul	Channel Name:	205.0nm
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	PDA 205.0 nm
Date Acquired:	2017-3-7 14:01:29 CST		
Date Processed:	2017-3-7 15:17:15 CST		

Auto-Scaled Chromatogram



Peak Results

	RT	Area	% Area	USP Plate Count	USP Resolution
1	3.245	18771	0.23	9640.02	
2	9.960	8034784	99.77	5774.42	19.87