产品分析证书
Certificate of Analysis


中文名称：拟人参皂苷元

English Name：20(S),24(R)-Ocotillol
别名(Alias): 20(S)-protopanaxatriol oxide I

产品编码(Cat. No.):BP1783
CAS Number: 69926-31-4
分子式(M. F.): C30H52O5
分子量(M. W.): 492.741

批号(Batch No.): PRF8060143
报告日期(Report date): 2017-06-01

Structure



检验结果（Analytical result）：

检验项目（Test Item）	检验指标（Specifications）	检验结果（Results）
外观Appearance	Off-white powder	Off-white powder
干燥失重Loss on drying	＜3.0%	1.06%
纯度Purity (HPLC-ELSD)*	≥98.0%	98.73%
质谱Mass	492.7±1	Conforms
核磁NMR	Comply with the structure	Conforms

*** 色谱图见附件（Please find HPLC chromatography attached.）**

检测方法（Test Method）： **Column:** Thermo BDS Hypersil C18，4.6*100mm，2.4um; **Column temperature**: 30℃; **Detection Mode:** ELSD;

Flow Rate:0.8ml/min; **Sample dissolution:** Methanol; **Mobile Phase: A**, Water **B,** Acetonitrile; **Gradient elution:** B, 35%-45%,15min.

贮存条件（Storage）:2~8℃, protected from light, keep package airproofed when not in use.

复测期（Retest date）:two years (2019-05-31) under conditions list above.

QC: Zhang Ling
Date: 2017-06-01

QA: WU Qi
Date: 2017-06-01

备注(Remarks): The sample solutions should be prepared and used on the same day. It is the best preparing the solutions immediately before use. If the solutons have to be made up in advance, it should be made as aliquots in tightly sealed vials at less than -20℃. Generally, these might be useable for up to two weeks.
In case of quality issue, please contact us within 15 days after receipt of the product.


质检专用章

Tel：+86-28-82633397 Fax：+86-28-82633165
http://www.phytopurify.com Email：sales@biopurify.com biopurify@gmail.com

SAMPLE INFORMATION

Sample Name:	20S 24R Ocotillol PRF8060143	Acquired By:	System
Sample Type:	Unknown	Sample Set Name:	
Vial:	66	Acq. Method Set:	20S 24R Ocotillol
Injection #:	1	Processing Method:	Samples
Injection Volume:	10.00 ul	Channel Name:	SATIN-2
Run Time:	25.0 Minutes	Proc. Chnl. Descr.:	
Date Acquired:	2017-6-1 12:01:08 CST		
Date Processed:	2017-6-1 12:42:49 CST		

Auto-Scaled Chromatogram



www.biopurify.com

Peak Results

	Name	RT	Area	% Area	USP Plate Count	USP Resolution
1		11.783	10854071	98.73	22935.9	
2		12.017	139830	1.27		0.7